

1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0
1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0	1 M HNO ₃ , pH = 0
1 M HCl, pH = 0	1 M HCl, pH = 0	1 M HCl, pH = 0	1 M HCl, pH = 0
1 M HCl, pH = 0	1 M HCl, pH = 0	1 M HCl, pH = 0	1 M HCl, pH = 0
1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47
1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47	1 M HIO ₃ , pH = 0.47
1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00

1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00	1 M HClO ₂ , pH = 1.00
1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12
1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12	1 M FeCl ₃ , pH = 1.12
1 M HF, pH = 1.58	1 M HF, pH = 1.58	1 M HF, pH = 1.58	1 M HF, pH = 1.58
1 M HF, pH = 1.58	1 M HF, pH = 1.58	1 M HF, pH = 1.58	1 M HF, pH = 1.58
1 M HClO, pH = 1.73	1 M HClO, pH = 1.73	1 M HClO, pH = 1.73	1 M HClO, pH = 1.73
1 M HClO, pH = 1.73	1 M HClO, pH = 1.73	1 M HClO, pH = 1.73	1 M HClO, pH = 1.73

1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30
1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30	1 M HBrO, pH = 4.30
1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63
1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63	1 M NH ₄ Cl, pH = 4.63
1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0
1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0	1 M NaOH, pH = 14.0
1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63

1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63	1 M NH ₃ , pH = 11.63
1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30
1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30	1 M KBrO, pH = 11.30
1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73
1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73	1 M NaClO, pH = 8.73
1 M KF, pH = 8.57	1 M KF, pH = 8.57	1 M KF, pH = 8.57	1 M KF, pH = 8.57
1 M KF, pH = 8.57	1 M KF, pH = 8.57	1 M KF, pH = 8.57	1 M KF, pH = 8.57

1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98
1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98	1 M LiClO ₂ , pH = 7.98
1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39
1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39	1 M KIO ₃ , pH = 7.39